



<b>DATA SHEET</b>	Version	0
	Date	01/01/22
	Page	1 of 1

## NEKOLIN S/P

### Solvent-based polychloroprene adhesive for hides, leather and fabrics.

#### CHARACTERISTICS

Solvent-based polychloroprene adhesive	METHOD	QUALITY CHARACTERISTICS (U.M.)
Appearance and Color	Visual	Viscous Liquid, Yellow
Viscosity	IO 07/42.10	800 – 1.100 cps
Specific Weight	IO 07/42.3	0,840 – 0,870 g/cc
Dry content	IO 07/42.4	19 - 21%
Time open	IO 07/42.6	15' – 40' (based on environment's condition)

#### USES

**Nekolin S/P** is a fluid and very versatile product; applicable by brush, machine, spray and immersion.

Suitable in leather goods for gluing and coupling of leathers, fabrics and various materials.

Suitable in footwear for gluing hides, leather, binding of wedges with leather and fabrics, assembly of uppers on cold insoles.

#### INSTRUCTIONS FOR USE

Apply, manually or with automatic systems, a uniform layer of **Nekolin S/P** on both surfaces to be bonded free from traces of dust or grease: wait from 15 to 40 minutes (depending on the environmental conditions), then couple by applying careful pressure.

The product has a good initial grip, if you wish to verify the adhesion strength with tensile tests, bear in mind that the definitive grip develops after at least 48 hours.

#### STORAGE

**Nekolin S/P** must be stored at temperatures between 5°C and 35°C in its original tightly closed containers, in a ventilated place and avoiding direct exposure to heat sources. The guaranteed stability in these conditions is 12 months.

Particularly low storage temperatures (especially in winter) lead to a considerable reversible thickening of the product and, consequently, a more difficult distribution. Mix well before use.

#### PACKAGING

15 – 50 Kg Metallic Containers

#### NOTES

**Attention!!** **Nekolin S/P** is highly flammable: make sure that the systems used for handling are properly earthed to avoid the accumulation of electrostatic charges.

properties or specific results. The application and use of our products, even if done following our technical advice, are conducted beyond our control and are therefore under the complete responsibility of the user. It is the responsibility of the user of our products to ensure that the rights of third parties are respected and that the regulations and laws in force are observed.